HYDRAULIC SCISSOR LIFT






Description

Scissor lift is a machine made to move personnel and equipment in a vertical direction. These lifts can handle any application that would normally require a ladder, tower or scaffolding. Scissor lifts enable operators to complete the same jobs faster and more securely without the setup time of other equipment, such as scaffolding or a tower, and without the dangerous instability of a ladder.

Diagram



Model No.	Capacity (KGS.)	Platform Length (MM)	Platform Width (MM)	Closed Height (MM)	Lifting Height (MM)	Lifting Time (Sec)	Motor (HP)	Total Height (MM)
RH-SSL- 500	500	1200	700	250	500	15	1	750
RH-SSL- 1000	1000	1500	700	250	1250	15	2	1500
RH-SSL- 1500	1500	2000	1000	350	1250	26	3	1600
RH-SSL- 2000	2000	2500	1800	350	1500	26	3	1850
RH SSL-3000	3000	2500	1800	450	1500	26	3-5	1950
RH-SSL- 4000	4000	3000	2000	550	1500	36	3-5	2050
RH-SSL- 5000	5000	3000	2000	600	1500	36	5-7.5	2100

*As per customer requirement, technical specification can be changed .

HYDRAULIC DOUBLE SCISSOR LIFT





IL TO TA VAR D' 25 TO										
Model No.	Capacity (KGS.)	Platform Length (MM)	Platform Width (MM)	Closed Height (MM)	Lifting Height (MM)	Lifting Time (Sec)	Motor (HP)	Total Height (MM)		
RH-DSL- 500	500	900	700	350	1000	15	1	1350		
RH-DSL- 1000	1000	1200	700	350	1330	15	2	2030		
RH-DSL- 1500	1500	1500	1000	450	1650	26	3	2100		
RH-DSL- 2000	2000	2000	1500	500	2300	26	3	2800		
RH-DSL- 3000	3000	4500	2000	650-700	5000	26	3-5	5700		
RH-DSL- 3000	3000	5500	2500	1000	5800	26	5	6800		
RH-DSL- 3000	4000	6000	2800	1200	5800	26	5	7000		

*As per customer requirement, technical specification can be changed .

OPERATOR'S SAFETY FEATURES: -

- Photo Safety Guard (, Orbital make) at the front side of lift .(OPTIONAL)
- Side Hand railing arrangement at the front side of the lift with locking system .
- Minimum and maximum height control by limit switch .
- Emergency Push button.
- The lift will keep alarming or beep, when it is moving up and down .
- Overload Safety Relay.
- Pressure Relief valves in all hydraulic cylinders for safety.